



The Chemical Company

Safety data sheet

Page: 1/8

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 13.07.2010

Version: 1.0

Product: UCRETE PART 3 DP TOPC POLYKIT

(30346310/SDS_GEN_GB/EN)

Date of print 05.03.2013

1. Identification of the substance/mixture and of the company/undertaking

UCRETE PART 3 DP TOPC POLYKIT

Use: Product for construction chemicals

Company:

BASF plc

PO Box 4, Earl Road, Cheadle Hulme, Cheadle, Cheshire

SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

Telefax number: +44 161 488 4274

E-mail address: product-safety-north@basf.com

Emergency information:

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Possible Hazards (according to Directive 67/548/EWG or 1999/45/EC)

Irritating to respiratory system and skin.

Risk of serious damage to eyes.

3. Composition/Information on Ingredients

Chemical nature

based on: modified cement mortar

Hazardous ingredients

according to Directive 1999/45/EC

Cement, portland, < 2ppm Cr VI
Content (W/W): > 75 % - < 100 %
CAS Number: 65997-15-1
EC-Number: 266-043-4
Hazard symbol(s): Xi
R-phrases: 37/38, 41

The wording of the hazard symbols and R-phrases is specified in chapter 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

5. Fire-Fighting Measures

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:

No special precautions necessary.

Methods for cleaning up or taking up:
Sweep/shovel up.

7. Handling and Storage

Handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:
No special precautions necessary.

Storage

Suitable materials for containers: paper
Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

8. Exposure Controls/Personal Protection

Components with workplace control parameters

65997-15-1: Cement, portland, chemicals
TWA value 10 mg/m³ (EH40 (UK)), Inhalable dust
TWA value 4 mg/m³ (EH40 (UK)), Respirable dust

Personal protective equipment

Respiratory protection:
Breathing protection if dusts are formed. (Particle filter EN 143 P1)

Hand protection:
nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection:
Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen based on level of activity and exposure., light protective clothing

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

| | |
|---|------------------------------------|
| Form: | powder |
| Colour: | coloured |
| Odour: | characteristic |
| pH value: | 11 - 13 (20 °C) |
| Flammability: | does not ignite |
| Ignition temperature: | not applicable |
| Self ignition: | not self-igniting |
| Explosion hazard: | not explosive |
| Fire promoting properties: | not fire-propagating |
| Vapour pressure: | not applicable |
| Bulk density: | 1,800 kg/m ³ (20 °C) |
| Solubility in water: | insoluble |
| Miscibility with water: | miscible |
| Partitioning coefficient n-octanol/water (log Pow): | not applicable |

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:
The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Experimental/calculated data:

LD50 (oral): > 5,000 mg/kg

No systemic toxicity.

Irritation

Experimental/calculated data:

Skin corrosion/irritation: Irritant.

Serious eye damage/irritation: Irritant.

Respiratory/Skin sensitization

Assessment of sensitization:

Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information available provides no indication of a carcinogenic effect.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

The product gives rise to pH shifts.

Aquatic invertebrates:

LC50 (48 h) > 100 mg/l, *Daphnia magna* (static)

Aquatic plants:

EC50 (96 h) > 100 mg/l (growth rate), *Selenastrum capricornutum* (static)

Soil living organisms:

LC50 (10 d) 9,931 mg/kg, other soil dwelling arthropod

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Inorganic product which cannot be eliminated from water by biological purification processes. The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Elimination information:
not applicable

Bioaccumulation potential

Assessment bioaccumulation potential:

The product will not be readily bioavailable due to its consistency and insolubility in water.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (GB)

Contaminated packaging:

Completely emptied packagings can be given for recycling.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

RID

Not classified as a dangerous good under transport regulations

Inland waterway transport

ADNR

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information**Regulations of the European union (Labelling) / National legislation/Regulations**

Directive 1999/45/EC ('Preparation Directive'):

| | |
|------------------|---|
| Hazard symbol(s) | |
| Xi | Irritant. |
| R-phrases(s) | |
| R37/38 | Irritating to respiratory system and skin. |
| R41 | Risk of serious damage to eyes. |
| S-phrases(s) | |
| S2 | Keep out of the reach of children. |
| S22 | Do not breathe dust. |
| S24/25 | Avoid contact with skin and eyes. |
| S26 | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| S28.1 | After contact with skin, wash immediately with plenty of water and soap. |
| S27 | Take off immediately all contaminated clothing. |
| S37/39 | Wear suitable gloves and eye/face protection. |
| S46 | If swallowed, seek medical advice immediately and show this container or label. |

The product is classified and labelled in accordance with EC Directives.

Other regulations

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

16. Other Information

In addition to the information given in the safety data sheet we refer to the product specific 'Technical Information'.

Full text of hazard symbols and R-phrases if mentioned as hazardous components in chapter 3:

| | |
|-------|--|
| Xi | Irritant. |
| 37/38 | Irritating to respiratory system and skin. |
| 41 | Risk of serious damage to eyes. |

Vertical lines in the left hand margin indicate an amendment from the previous version.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.



The Chemical Company

Safety data sheet

Page: 1/8

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 17.09.2010

Version: 1.0

Product: **UCRETE DP BASECOAT B6 PART 3**

(30361898/SDS_GEN_GB/EN)

Date of print 05.03.2013

1. Identification of the substance/mixture and of the company/undertaking

UCRETE DP BASECOAT B6 PART 3

Use: Product for construction chemicals

Company:

BASF plc

PO Box 4, Earl Road, Cheadle Hulme, Cheadle, Cheshire

SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

Telefax number: +44 161 488 4274

E-mail address: product-safety-north@basf.com

Emergency information:

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Possible Hazards (according to Directive 67/548/EWG or 1999/45/EC)

Irritating to respiratory system and skin.

Risk of serious damage to eyes.

3. Composition/Information on Ingredients

Chemical nature

based on: fillers, modified

Hazardous ingredients

according to Directive 1999/45/EC

Cement, portland, < 2ppm Cr VI
Content (W/W): $\geq 10\%$ - $\leq 30\%$
CAS Number: 65997-15-1
EC-Number: 266-043-4
Hazard symbol(s): Xi
R-phrase(s): 37/38, 41

Calcium dihydroxide
Content (W/W): $\geq 1\%$ - $\leq 8\%$
CAS Number: 1305-62-0
EC-Number: 215-137-3
REACH registration number: 01-2119446671-38
Hazard symbol(s): Xi
R-phrase(s): 38, 41

The wording of the hazard symbols and R-phrases is specified in chapter 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

5. Fire-Fighting Measures

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:

No special precautions necessary.

Methods for cleaning up or taking up:

Sweep/shovel up.

7. Handling and Storage

Handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

No special precautions necessary.

Storage

Suitable materials for containers: paper

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

8. Exposure Controls/Personal Protection

Components with workplace control parameters

65997-15-1: Cement, portland, chemicals

TWA value 10 mg/m³ (EH40 (UK)), Inhalable dust

TWA value 4 mg/m³ (EH40 (UK)), Respirable dust

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P1)

Hand protection:

nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure., light protective clothing

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

| | |
|---|---|
| Form: | powder |
| Colour: | coloured |
| Odour: | characteristic characteristic |
| pH value: | 11 - 13 (20 °C) (as aqueous suspension) |
| Boiling point: | not applicable |
| Flash point: | not applicable |
| Flammability: | does not ignite |
| Ignition temperature: | not applicable |
| Explosion hazard: | not explosive |
| Vapour pressure: | not applicable |
| Bulk density: | 1,800 - 2,400 kg/m ³ (20 °C) |
| Solubility in water: | dispersible (20 °C) |
| Partitioning coefficient n-octanol/water (log Pow): | not applicable |

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

Hazardous reactions:
The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

The product has not been tested. The statement has been derived from products of a similar structure or composition.

Experimental/calculated data:

LD50 (oral): > 5,000 mg/kg

No systemic toxicity.

Irritation

Assessment of irritating effects:

The product has not been tested. The statement has been derived from products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation: Irritant.

Serious eye damage/irritation: Irritant.

Respiratory/Skin sensitization

Assessment of sensitization:

Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information available provides no indication of a carcinogenic effect.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

The product gives rise to pH shifts.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 17.09.2010

Version: 1.0

Product: **UCRETE DP BASECOAT B6 PART 3**

(30361898/SDS_GEN_GB/EN)

Date of print 05.03.2013

Aquatic invertebrates:

LC50 (48 h) > 100 mg/l, Daphnia magna (static)

Aquatic plants:

EC50 (96 h) > 100 mg/l (growth rate), Selenastrum capricornutum (static)

Soil living organisms:

LC50 (10 d) 9,931 mg/kg, other soil dwelling arthropod

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Inorganic product which cannot be eliminated from water by biological purification processes. The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Elimination information:

not applicable

Bioaccumulation potential

Assessment bioaccumulation potential:

The product will not be readily bioavailable due to its consistency and insolubility in water.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Completely emptied packagings can be given for recycling.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

RID

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 17.09.2010

Version: 1.0

Product: **UCRETE DP BASECOAT B6 PART 3**

(30361898/SDS_GEN_GB/EN)

Date of print 05.03.2013

Not classified as a dangerous good under transport regulations

Inland waterway transport

ADNR

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information**Regulations of the European union (Labelling) / National legislation/Regulations**Directive 1999/45/EC ('Preparation Directive'):

Hazard symbol(s)

Xi Irritant.

R-phrase(s)

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

S-phrase(s)

S2 Keep out of the reach of children.

S22 Do not breathe dust.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28.1 After contact with skin, wash immediately with plenty of water and soap.

S27 Take off immediately all contaminated clothing.

S37/39 Wear suitable gloves and eye/face protection.

S46 If swallowed, seek medical advice immediately and show this container or label.

The product is classified and labelled in accordance with EC Directives.

Other regulations

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 17.09.2010

Version: 1.0

Product: **UCRETE DP BASECOAT B6 PART 3**

(30361898/SDS_GEN_GB/EN)

Date of print 05.03.2013

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

16. Other Information

Due to the merger of Degussa Construction chemicals and BASF Group all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us under the address mentioned in Section I.

Full text of hazard symbols and R-phrases if mentioned as hazardous components in chapter 3:

| | |
|-------|--|
| Xi | Irritant. |
| 37/38 | Irritating to respiratory system and skin. |
| 41 | Risk of serious damage to eyes. |
| 38 | Irritating to skin. |

Vertical lines in the left hand margin indicate an amendment from the previous version.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.