

Safety data sheet

Page: 1/15

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ucrete PT3 RG also UCRETE PT3 RG POLYKIT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals

1.3. Details of the supplier of the safety data sheet

Company:BASF SE
67056 Ludwigshafen
GERMANYContact address:BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 2

Eye Dam./Irrit. 1

| STOT SE 3 (irritating to respiratory system)

According to Directive 67/548/EEC or 1999/45/EC

Possible Hazards:

Irritating to respiratory system and skin.

Risk of serious damage to eyes.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.

Precautionary Statement:

P102	Keep out of reach of children.
------	--------------------------------

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye/face protection.
P261	Avoid breathing dust.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P315	Get immediate medical advice/attention.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash before reuse.

According to Directive 67/548/EEC or 1999/45/EC

Directive 1999/45/EC ('Preparation Directive')

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

Hazard symbol(s)

Xi Irritant.



R-phrases(s)

R37/38

Irritating to respiratory system and skin.

R41

Risk of serious damage to eyes.

S-phrases(s)

S2

Keep out of the reach of children.

S22

Do not breathe dust.

S24/25

Avoid contact with skin and eyes.

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S27

Take off immediately all contaminated clothing.

S28.1

After contact with skin, wash immediately with plenty of water and soap.

S37/39

Wear suitable gloves and eye/face protection.

S46

If swallowed, seek medical advice immediately and show this container or label.

The product is classified and labelled in accordance with EC Directives.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

modified cement mortar

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

Calcium dihydroxide

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

Content (W/W): $\geq 5\%$ - $< 7\%$ Skin Corr./Irrit. 2
CAS Number: 1305-62-0 Eye Dam./Irrit. 1
EC-Number: 215-137-3 H318, H315
REACH registration number: 01-
2119446671-38

Calcium oxide

Content (W/W): $\geq 0.3\%$ - $< 3\%$ Skin Corr./Irrit. 2
CAS Number: 1305-78-8 Eye Dam./Irrit. 1
EC-Number: 215-138-9 STOT SE 3 (irr. to respiratory syst.)
REACH registration number: 01-
2119475325-36 H318, H315, H335

Disodium oxide

Content (W/W): $\geq 1\%$ - $< 3\%$ Skin Corr./Irrit. 1A
CAS Number: 1313-59-3 Eye Dam./Irrit. 1
EC-Number: 215-208-9 H314

Cement, portland, chemicals

Content (W/W): $\geq 15\%$ - $< 20\%$ Skin Corr./Irrit. 2
CAS Number: 65997-15-1 Eye Dam./Irrit. 1
EC-Number: 266-043-4 STOT SE 3 (irr. to respiratory syst.)
H318, H315, H335

Hazardous ingredients

according to Directive 1999/45/EC

Cement, portland, chemicals

Content (W/W): $\geq 15\%$ - $< 20\%$
CAS Number: 65997-15-1
EC-Number: 266-043-4
Hazard symbol(s): Xi
R-phrases: 38, 41, 37

Calcium dihydroxide

Content (W/W): $\geq 5\%$ - $< 7\%$
CAS Number: 1305-62-0
EC-Number: 215-137-3
REACH registration number: 01-2119446671-38
Hazard symbol(s): Xi
R-phrases: 38, 41

Calcium oxide

Content (W/W): $\geq 0.3\%$ - $< 3\%$
CAS Number: 1305-78-8
EC-Number: 215-138-9
REACH registration number: 01-2119475325-36

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

Hazard symbol(s): Xi
R-phrases: 37/38, 41

Disodium oxide

Content (W/W): $\geq 1\%$ - $< 3\%$
CAS Number: 1313-59-3
EC-Number: 215-208-9
Hazard symbol(s): C
R-phrases: 35, 14

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Additional information:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are sufficient.

5.2. Special hazards arising from the substance or mixture

Product is not combustible or explosive. No particular hazards known.

5.3. Advice for fire-fighters

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Sweep/shovel up.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

No special precautions necessary.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Paper/Fibreboard

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

Protect from temperatures below: 5 °C

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 30 °C

With longer exceeding of the indicated temperature packagings may be damaged.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

1305-62-0: Calcium dihydroxide

TWA value 5 mg/m³ (WEL/EH 40 (UK))

TWA value 5 mg/m³ (OEL (EU))

indicative

1305-78-8: Calcium oxide

TWA value 2 mg/m³ (WEL/EH 40 (UK))

65997-15-1: Cement, portland, chemicals

TWA value 4 mg/m³ (WEL/EH 40 (UK)), Respirable dust

TWA value 10 mg/m³ (WEL/EH 40 (UK)), Inhalable dust

The nuisance dust limit value is to be kept. The substance mentioned is contained only in traces in the product.

14808-60-7: Quartz (SiO₂)

TWA value 0.1 mg/m³ (WEL/EH 40 (UK)), Respirable

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P1)

Hand protection:

nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure., light protective clothing

General safety and hygiene measures

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Contaminated equipment or clothing should be cleaned after each use or disposed of.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	granules-powder mixture
Colour:	white to grey
Odour:	odourless
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 12 (as aqueous suspension)
Melting point:	The product has not been tested.
Boiling point:	The product has not been tested.
Sublimation point:	No applicable information available.
Flash point:	Non-flammable.
Evaporation rate:	The product is a non-volatile solid.
Flammability:	not flammable
Vapour pressure:	The product has not been tested.
Relative vapour density (air):	The product is a non-volatile solid.
Solubility in water:	dispersible (20 °C)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	not applicable, the product is a solid

9.2. Other information

Bulk density:	approx. 1,450 kg/m ³
Miscibility with water:	(20 °C) miscible
Hygroscopy:	hygroscopic
Other Information:	

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong bases, strong acids

10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Cement, portland, chemicals

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant.

Information on: Cement, portland, chemicals

Experimental/calculated data:

Serious eye damage/irritation rabbit: irreversible damage

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met. The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

The product gives rise to pH shifts. Based on available Data, the classification criteria are not met.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Inorganic product which cannot be eliminated from water by biological purification processes. The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Experience shows this product to be inert and non-degradable.

Elimination information:

not applicable

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product will not be readily bioavailable due to its consistency and insolubility in water.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Completely emptied packagings can be given for recycling.

SECTION 14: Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

Special precautions for user None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known
Transport in inland waterway vessel:	Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other Information

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xi Irritant.

 BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.03.2015

Version: 3.0

Product: **Ucrete PT3 RG also UCRETE PT3 RG POLYKIT**

(ID no. 30610975/SDS_GEN_GB/EN)

Date of print 19.03.2015

C	Corrosive.
38	Irritating to skin.
41	Risk of serious damage to eyes.
37	Irritating to respiratory system.
37/38	Irritating to respiratory system and skin.
35	Causes severe burns.
14	Reacts violently with water.
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.

If you have any queries relating to this MSDS, its contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

 Vertical lines in the left hand margin indicate an amendment from the previous version.